



Developing a mechanism for supporting better decisions on our environment based on the best available knowledge.

The impacts of artificial Electromagnetic Radiation on wildlife (flora and fauna)

Annex 2 - Bibliography



Developing a mechanism
for supporting better
decisions on our
environment
based on the best
available knowledge.

List of publications

AL-KATHIRI F., AL-RAISI K., AL-HINAI K., AL-DROUSHI M., KHAN M., and NADIR Z. (2016). Impact of RF electromagnetic field on cucumber and tomato plants, 2016 IEEE 7th Annual Information Technology, Electronics and Mobile Communication Conference (IEMCON), Vancouver, BC, 2016, pp. 1-6.

BADGER M., ORTEGA-JIMENEZ V.M., VON RABENAU L., SMILEY A., DUDLEY R. (2015). Electrostatic Charge on Flying Hummingbirds and Its Potential Role in Pollination. PLoS ONE 10(9): e0138003.

BAE J.E., BANG S., MIN S., LEE S.H., KWON S.H., LEE Y., LEE Y.H., CHUNG J., CHAE K.S. (2016). Positive geotactic behaviors induced by geomagnetic field in *Drosophila*. Mol Brain 9 (1): 55.

BALMORI A. (2003). The effects of microwave radiation on the wildlife – preliminary results. By Alfonso Balmori Martínez, February 2003.

BALMORI A. (2006). The incidence of electromagnetic pollution on the amphibian decline: Is this an important piece of the puzzle?. Toxicological & Environmental Chemistry 88(2): 287–299.

BALMORI A. (2009). Electromagnetic pollution from phone masts. Effects on wildlife. Pathophysiology 16(2): 191-199.

BALMORI A. (2010). The incidence of electromagnetic pollution on wild mammals: A new poison with a slow effect on nature? The Environmentalist 30(1): 90-97.

BALMORI A. (2010b). Mobile phone mast effects on common frog (*Rana temporaria*) tadpoles: the city turned into a laboratory. Electromagnetic Biology and Medicine 29(1-12): 31-35.

BALMORI A. (2014). Electrosmog and species conservation. Science of the Total Environment 496: 314-316.

BALMORI A. (2015). Anthropogenic radiofrequency electromagnetic fields as an emerging threat to wildlife orientation. Science of the Total Environment 518: 58-60.

BALMORI A. (2016). Radiotelemetry and wildlife: Highlighting a gap in the knowledge on radiofrequency. Sci Total Environ 2016; 543 Pt A: 662-669.

BALMORI A., HALLBERG Ö. (2007). The urban decline of the house sparrow (*Passer domesticus*): a possible link with electromagnetic radiation. Electromagnetic Biology and Medicine 26(2): 141-151.

BEAUBOIS É., GIRARD S., LALLECHERE S., DAVIES E., PALADIAN F., BONNET P., LEDOIGT G., VIAN A. (2007), Intercellular communication in plants: evidence for two rapidly



Developing a mechanism
for supporting better
decisions on our
environment
based on the best
available knowledge.

transmitted systemic signals generated in response to electromagnetic field stimulation in tomato. *Plant, Cell & Environment*, 30: 834–844.

BEGALL S., MALKEMPER E. P., ČERVENÝ J., NĚMEC P., BURDA H. (2013). Magnetic alignment in mammals and other animals. *Mamm Biol - Z Saugetierkd.* 2013;78(1):10–20.

BURDA H., BEGALL S., ČERVENÝ J., NEEF J., NĚMEC P. (2009). Extremely low-frequency electromagnetic fields disrupt magnetic alignment of ruminants. *PNAS*, vol. 106, 2009, pp. 5708-13.

BUSYGINA A.V., KOMNATNOV M.A., MATVEYENKO O.A. (2015). Problems of investigations in sphere of electromagnetic fields impact on biological objects. *IEEE International Conference on Biomedical Engineering and Computational Technologies (SIBIRCON)*, 2015.

CAMMAERTS M.C. (2017). Is Electromagnetism One of the Causes of the CCD? A Work Plan for Testing This Hypothesis. *Journal of Behavior*, vol. 2, no. 1, 2017, pp. 1006.

CAMMAERTS M.C., JOHANSSON O. (2014). Ants can be used as bio-indicators to reveal biological effects of electromagnetic waves from some wireless apparatus. *Electromagnetic Biology and Medicine* 33:282–288.

CAMMAERTS M.C., RACHIDI Z., BELLENS F., DE DONCKER P. (2013). Food collection and response to pheromones in an ant species exposed to electromagnetic radiation. *Electromagnetic Biology and Medicine* 32(3): 315-332.

CAMMAERTS M.C., VANDENBOSCH G.A.E., VOLSKI V. (2014). Effect of Short-Term GSM Radiation at Representative Levels in Society on a Biological Model: The Ant *Myrmica sabuleti*. *Journal Insect Behaviour* 27 (4): 514-526.

ČERVENÝ J., BURDA H., JEZEK M., KUSTA T., HUSINEC V., Nováková, Petra; Hart, Vlastimil; Hartová, Veronika; Begall, Sabine; MALKEMPER, E. Pascal (2017). Magnetic alignment in warthogs *Phacochoerus africanus* and wild boars *Sus scrofa*. *Mammal Review Jg.* Vol. 46 (2016) Nr. Issue 3, ISSN: 1365-2907; 0305-1838.

CLARKE D., MORLEY E., ROBERT D. (2017). The bee, the flower, and the electric field: electric ecology and aerial electroreception. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology*. 2017 Jun 24.

CLARKE D., WHITNEY H., SUTTON G., ROBERT D. (2013). Detection and learning of floral electric fields by bumblebees. *Science* 340(6128): 66-69.

CUCURACHI S., TAMIS W.L., VIJVER M.G., PEIJNENBURG W.J., BOLTE J.F., DE SNOO G.R. (2013). A review of the ecological effects of radiofrequency electromagnetic fields (RF-EMF). *Environment International* 51: 116-140.

DIMITRIJEVIĆ D., JANAC B., SAVIĆ T. (2013). Temporal pattern of *Drosophila subobscura* locomotor activity after exposure to extremely low frequency magnetic field (50 Hz, 0.5 mT). *Drosoph Inf Serv* 96: 84-90.



Developing a mechanism
for supporting better
decisions on our
environment
based on the best
available knowledge.

EDER S.H.K., CADIOU H., MUHAMAD A., MCNAUGHTON P. A., KIRSCHVINK J. L., WINKLHOFFER M. (2012). Magnetic characterization of isolated candidate vertebrate magnetoreceptor cells. *Proceedings of the National Academy of Sciences* 109(30): 12022-12027.

ENGELS S., SCHNEIDER N.-L., LEFELDT N., HEIN C.M., ZAPKA M., MICHALIK A., ELBERS D., KITTEL A., HORE P.J., MOURITSEN H. (2014). Anthropogenic electromagnetic noise disrupts magnetic compass orientation in a migratory bird. *Nature* 509(7500): 353-356.

ERDREICH L.S., ALEXANDER D.D., WAGNER M.E., REINEMANN D. (2009) Meta-analysis of stray voltage on dairy cattle. *Journal of Dairy Science*, vol. 92, no. 12, 2009, pp. 5951-63.

ERNST D.A., LOHMANN K.J. (2016). Effect of magnetic pulses on Caribbean spiny lobsters: implications for magnetoreception.. *Journal of Experimental Biology*, vol. 219, pt. 12, pp. 1827-32.

EVERAERT J., BAUWENS D. (2007). A possible effect of electromagnetic radiation from mobile phone base stations on the number of breeding house sparrows (*Passer domesticus*). *Electromagnetic biology and medicine* 26(1): 63-72.

FAVRE D. (2011). Mobile phone-induced honeybee worker piping. *Apidologie* 42:270–279.

FERNIE K.J., REYNOLDS S.J. (2005). The effects of electromagnetic fields from power lines on avian reproductive biology and physiology, Review. *Journal of Toxicology and Environmental Health, Part B*, 8:127–140.

GREGGERS U., KOCH G., SCHMIDT V., DÜRR A., FLORIOU-SERVOU A., PIEPENBROCK D., GÖPFERT M.C., MENZEL R. (2013). Reception and learning of electric fields in bees. *Proceedings of the Royal Society of London* 280(1759): 20130528.

GRÉMIAUX A., GIRARD S., GUÉRINA V., LOTHIERA J., BALUSKAD F., DAVIES E., BONNET P., VIAN A. (2016). Low-amplitude, high-frequency electromagnetic field exposure causes delayed and reduced growth in *Rosa hybrida*. *Journal of Plant Physiology*, vol 190: 44-53.

GUERRA P.A., GEGEAR R.J., REPPERT S.M. (2014). A magnetic compass aids monarch butterfly migration. *Nature Communications*, vol. 5, no. 4164, 2014.

GUSTAVINO B., CARBONI G., PETRILLO R., PAOLUZZI G., SANTOVETTI E., RIZZONI M. (2016). Exposure to 915 MHz radiation induces micronuclei in *Vicia faba* root tips, *Mutagenesis*, vol. 31, no. 2, 2016, pp. 187-92.

HAGGERTY K. (2010). Adverse Influence of Radio Frequency Background on Trembling Aspen Seedlings. *International Journal of Forestry Research*, vol 2010, no. 836278, 2010.

HALGAMUGE M.N. (2016). Review: Weak radiofrequency radiation exposure from mobile phone radiation on plants. *Electromagnetic Biology and Medicine*, vol. 36, no. 2, 2016, pp. 213-235.



Developing a mechanism
for supporting better
decisions on our
environment
based on the best
available knowledge.

HALGAMUGE M.N., YAK S.K., EBERHARDT J.L. (2015). Reduced growth of soybean seedlings after exposure to weak microwave radiation from GSM 900 mobile phone and base station. *Bioelectromagnetics*, vol. 36, no. 2, 2015, pp. 87-95.

HARST W., KUHN J., STEVER H. (2007). Can Electromagnetic Exposure Cause a Change in Behaviour? Studying Possible Non-Thermal Influences on Honey Bees – An Approach within the Framework of Educational Informatics. *Acta Systemica* 6(1), 1–6.

HÄSSIG M., WULLSCHLEGER M., NAEGELI H., KUPPER J., SPIESS B., KUSTER N., CAPSTICK M., MURBACH M. (2014). Influence of non ionizing radiation of base stations on the activity of redox proteins in bovines. *BMC Vet Res*, vol. 10, no. 136, 2014.

HISCOCK H.G., MOURITSEN H., MANOLOPOULOS D.E., HORE P.J. (2017). Disruption of Magnetic Compass Orientation in Migratory Birds by Radiofrequency Electromagnetic Fields.

HISCOCK H.G., WORSTER S., KATTNIG D.R., STEERS C., JIN Y., MANOLOPOULOS D.E., MOURITSEN H., HORE P.J. (2016). The quantum needle of the avian magnetic compass. *PNAS* in press.

IPBES (2016). The assessment report of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services on pollinators, pollination and food production. S.G. Potts, V. L. Imperatriz-Fonseca, and H. T. Ngo, (eds). Secretariat of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services, Bonn, Germany.

JANKOWSKA, PAWLOWSKA-MAINVILLE, STANKIEWICZ, ROGALSKA, WYSZKOWSKA (2015). Exposure to 50 Hz electromagnetic field changes the efficiency of the scorpion alpha toxin. *Journal of Venomous Animals and Toxins including Tropical Diseases* (2015) 21:38.

KAVOKIN K., CHERNETSOV N., PAKHOMOV A., BOJARINOVA J., KOBYLKOVA D., NAMOZOV (2014). Magnetic orientation of garden warblers (*Sylvia borin*) under 1.4 MHz radiofrequency magnetic field. *Journal of the Royal Society, Interface*, vol. 11, no. 97, 2014.

KIRSCHVINK J.L., WALKER M. M., DIEBEL C.E. (2001). Magnetite-based magnetoreception. *Current Opinion in Neurobiology* 2001, 11(4):462–467.

KOLBABOVÁ T., MALKEMPER E.P., BARTOŠ L., VANDERSTRAETEN J., TURČÁNI M., BURDA H.(2015). Effect of exposure to extremely low frequency magnetic fields on melatonin levels in calves is seasonally dependent. *Scientific Reports* 5, Article number: 14206 (2015).

KUMAR N.R., SANGWAN S., BADOTRA P. (2011). Exposure to cell phone radiations produces biochemical changes in worker honey bees. *Toxicology International*, 2011 Jan-Jun; 18(1): 70–72.

LANDLER L., PAINTER M.S., YOUMANS P.W., HOPKINS W.A., PHILLIPS J.B. (2015). Spontaneous Magnetic Alignment by Yearling Snapping Turtles: Rapid Association of



Developing a mechanism
for supporting better
decisions on our
environment
based on the best
available knowledge.

Radio Frequency Dependent Pattern of Magnetic Input with Novel Surroundings. PLoS ONE 10(5): e0124728.

LÁZARO A., CHRONI A., TSCHEULIN T., DEVALEZ J., MATSOUKAS C., PETANIDOU T. (2016). Electromagnetic radiation of mobile telecommunication antennas affects the abundance and composition of wild pollinators. *Journal of Insect Conservation* 20(2): 315-324.

MAKAROV V.I., KHMELINSKII I. (2016). External control of the *Drosophila melanogaster* egg to imago development period by specific combinations of 3D low-frequency electric and magnetic fields. *Electromagn Biol Med* 35 (1): 15-29.

MALKEMPER E.P., EDER S.H.K., BEGALL S., PHILLIPS J.B., WINKLHOFFER M., HART V., BURDA H. (2015) Magnetoreception in the wood mouse (*Apodemus sylvaticus*): influence of weak frequency-modulated radio frequency fields; *Scientific Reports* 5, Article number: 9917 (2015).

MALKEMPER E.P., PAINTER M.S., LANDLER L. (2016). Shifted magnetic alignment in vertebrates : Evidence for neural lateralization? *Journal of theoretical biology* 399: S. 141 - 147. ISSN: 0022-5193; 1095-8541.

MALL P., KUMAR Y. (2014). Effect of electromagnetic radiations on brooding, honey production and foraging behavior of European honeybees (*Apis mellifera* L.). *African Journal of Agricultural research* 9(13).

MARINESCU I., CURCAN G. (2015). The physiological and environmental potential effects of GSM technology. *University of Craiova, Vol. 16 (new series) – 2014-2015*.

MOSS R.H., SCHNEIDER S.H. (2000). Uncertainties in the IPCC TAR: Recommendations to lead authors for more consistent assessment and reporting. *Guidance Papers on the Cross Cutting Issues of the Third Assessment Report of the IPCC* [eds. R. Pachauri, T. Taniguchi and K. Tanaka], World Meteorological Organization, Geneva, pp. 33-51.].

NICHOLLS B., RACEY P.A. (2007). Bats Avoid Radar Installations: Could Electromagnetic Fields Deter Bats from Colliding with Wind Turbines? *PLOS ONE* 2(3): e297.

NICHOLLS B., RACEY P.A. (2009). The aversive effect of electromagnetic radiation on foraging bats—a possible means of discouraging bats from approaching wind turbines. *PLoS One* 4(7): e6246.

PAKHOMOV A., BOJARINOVA J., CHERBUNIN R., CHETVERIKOVA R., GRIGORYEV P.S., KAVOKIN K., KOBLYKOV D., LUBKOVSKAJA R., CHERNETSOV N. (2017). Very weak oscillating magnetic field disrupts the magnetic compass of songbird migrants. *Journal of the Royal Society Interface* 14 (133).

PANAGOPOULOS D.J., BALMORI A. (2017). On the biophysical mechanism of sensing atmospheric discharges by living organisms. *Science of the Total Environment* 599–600; 2026–2034.



Developing a mechanism
for supporting better
decisions on our
environment
based on the best
available knowledge.

PANAGOPOULOS D.J., CHAVDOULA E.D., MARGARITIS L.H. (2010). Bioeffects of mobile telephony radiation in relation to its intensity or distance from the antenna. *International Journal of Radiation Biology* 86(5): 345-357.

PANAGOPOULOS D.J., CHAVDOULA E.D., NEZIS I.P., MARGARITIS L.H. (2007). Cell death induced by GSM 900-MHz and DCS 1800-MHz mobile telephony radiation. *Mutation Research* 626(1-2):69-78.

PANAGOPOULOS D.J., KARABARBOUNIS, MARGARITIS L.H. (2004). Effect of GSM 900-MHz Mobile Phone Radiation on the Reproductive Capacity of *Drosophila melanogaster*. *Electromagnetic Biology and Medicine* 23(1): 29-43.

PINZON-RODRIGUEZ A., MUHEIM R. (2017). Zebra Finches Have a Light-dependent Magnetic Compass Similar to Migratory Birds. *Journal of Experimental Biology* 2017 Apr 1;220(Pt 7):1202-1209.

POH A., Moghavvemi, M., Shafiei, M., Leong, C., Lau, Y., Mahamd Adikan, F., Bakhtiari, M. and Abdulla Hassan, M. (2017). Effects of low-powered RF sweep between 0.01-20 GHz on female *Aedes Aegypti* mosquitoes: A collective behaviour analysis. *PLOS ONE*, 12(6), p.e0178766.

POURLIS A.F. (2009). Reproductive and developmental effects of EMF in vertebrate animal models. *Pathophysiology* 16:179-189.

PRATO F. (2015) Non-thermal extremely low frequency magnetic field effects on opioid related behaviors: Snails to humans, mechanisms to therapy. *Bioelectromagnetics* 36:333-348 (2015).

QURESHI S.T., MEMON S.A., ABASSI A.R., SIAL M.A., BUGHIO F.A. (2017). Radiofrequency radiations induced genotoxic and carcinogenic effects on chickpea (*Cicer arietinum* L.) root tip cells. *Saudi Journal of Biological Sciences*. Volume 24, Issue 4, May 2017, Pages 883-891.

ROUX D., VIAN A., GIRARD S., BONNET P., PALADIAN F., DAVIES E., LEDOIGT G. (2006). Electromagnetic fields (900 MHz) evoke consistent molecular responses in tomato plants. *Physiologia Plantarum* vol 128 issue 2: 283-288.

ROUX D., VIAN A., GIRARD S., BONNET P., PALADIAN F., DAVIES E., LEDOIGT G. (2008). High frequency (900 MHz) low amplitude (5 V m⁻¹) electromagnetic field: a genuine environmental stimulus that affects transcription, translation, calcium and energy charge in tomato. *Planta* (2008) 227: 883.

SAINUDEEN S.S. (2011). Electromagnetic Radiation (EMR) Clashes with Honey Bees. *International Journal of Environmental Sciences*, Volume 1, No 5, 2011.

SARAVANAMUTT S., SUDARSANAM D. (2012). Impacts of radio-frequency electromagnetic field (RF-EMF) from cell phone towers and wireless devices on biosystem and ecosystem-a review. *Biology and Medicine*. 4: 202.



Developing a mechanism
for supporting better
decisions on our
environment
based on the best
available knowledge.

SCHWARZE S., SCHNEIDER, REICHL, DREYER, LEFELDT N., ENGELS S., BAKER, HORE, P.J. MOURITSEN H. (2016). Weak Broadband Electromagnetic Fields are More Disruptive to Magnetic Compass Orientation in a Night-Migratory Songbird (*Erithacus rubecula*) than Strong Narrow-Band Fields. *Frontiers in Behavioral Neuroscience*, 22 March 2016;10:55.

SENAVIRATHNA M.D.H.J., ASAEDA T. (2014). The significance of microwaves in the environment and its effect on plants. *Environmental Reviews*, 2014, 22:220-228, 10.1139/er-2013-0061.

SENAVIRATHNA M.D.H.J., ASAEDA T., THILAKARATHNE B.L., KADONO H. (2014). Nanometer-scale elongation rate fluctuations in the *Myriophyllum aquaticum* (Parrot feather) stem were altered by radio-frequency electromagnetic radiation. *Plant Signal Behav*, vol. 9, no. 3, 2014.

SHARMA V.P., KUMAR N.R. (2010). Changes in honeybee behaviour and biology under the influence of cellphone radiations. *Current science*, 98 (10).

SOETART M., DECOSTERE A., POLET H., VERSCHUEREN B., CHIERS K. (2014). Electrotrawling: a promising alternative fishing technique warranting further exploration. *Fish and Fisheries* 16: 104–124.

SORAN M.L., STAN M., NIINEMETS U., COPOLOVICI L. (2014). Influence of microwave frequency electromagnetic radiation on terpene emission and content in aromatic plants. *Journal of Plant Physiology*, vol. 171, no. 15, 2014, pp. 1436-43.

SPASIĆ S., KESIĆ S., STOJADINOVIĆ G., PETKOVIĆ B., TODOROVIĆ D. (2014). Effects of the static and ELF magnetic fields on the neuronal population activity in *Morimus funereus* (Coleoptera, Cerambycidae) antennal lobe revealed by wavelet analysis. *Comparative Biochemistry and Physiology - Part A Molecular & Integrative Physiology* 181:27-35. November 2014.

STEFI A.L., MARGARITIS L.H., CHRISTODOULAKIS N.S. (2016) The effect of the non ionizing radiation on cultivated plants of *Arabidopsis thaliana* (Col.) *Flora* 223, 114–120 (2016).

SUTTON G., CLARKE, D., MORLEY, E., ROBERT, D. (2016). Mechanosensory hairs in bumble bees (*Bombus terrestris*) detect weak electric fields. *Proceedings of the National Academy of Sciences*, 113(26), 7261-7265.

TAFFOREAU et al. (2004). Plant sensitivity to low intensity 105 GHz electromagnetic radiation. *Bioelectromagnetics*. 25(6):403-407 (2004).

TIRKEL A.Z., LAI J.C.S., EVANS T.A., RANKIN G.A. (2011). Effects of Millimetre Wave Exposure on Termite Behavior. *PIERS Online*, Vol. 7, No. 2, 171-175, 2011.

TKALEC et al. (2005). Influence of 400, 900, and 1900 MHz electromagnetic fields on *Lemna minor* growth and peroxidase activity. *Bioelectromagnetics* 26, 185-193 (2005).



Developing a mechanism
for supporting better
decisions on our
environment
based on the best
available knowledge.

TODOROVI D., PROLI Z., PETKOVI B., KALAUZI A. (2015). Effects of two different waveforms of ELF MF on bioelectrical activity of antennal lobe neurons of *Morimus funereus* (Insecta, Coleoptera). *Int J Radiat Biol.* 91:435–442.

TOMANOVA K., VACHA M. (2016). The magnetic orientation of the Antarctic amphipod *Gondogeneia antarctica* is cancelled by very weak radiofrequency fields. *Journal of Experimental Biology* March 2016; 219 Pt 11: 1717-1724.

VIAN A., DAVIES E., GENDRAUD M., BONNET P. (2016). Plant Responses to High Frequency Electromagnetic Fields. *BioMed Research International*, vol. 2016, Article ID 1830262, 13 pages, 2016.

VIJVER M.G., BOLTE J.F., EVANS, TAMIS W.L., PEIJNENBURG W.J., MUSTERS, DE SNOO G.R. (2014). Investigating short-term exposure to electromagnetic fields on reproductive capacity of invertebrates in the field situation. *Electromagnetic Biology and Medicine* 33(1):21-28.

WALDMANN-SELSAM C., BALMORI-DE-LA-PUENTE A., BREUNIG H., BALMORI A. (2016). Radiofrequency radiation injures trees around mobile phone base stations. *Science of the Total Environment* 572: 554-569.

WAN G., ZHAO Z., XU J., TAO X., SWORD G.A., GAO Y., PAN W & CHEN F. (2014). Bio-effects of near-zero magnetic fields on the growth, development and reproduction of small brown planthopper, *Laodelphax striatellus* and brown planthopper, *Nilaparvata lugens*. *Journal of Insect Physiology* 68:7-15.

WAN G.J., WANG W.J., XU J.J., YANG Q.F., DAI M.J., ZHANG F.J., SWORD G.A., CHEN P. (2015). Cryptochromes and Hormone Signal Transduction under Near-Zero Magnetic Fields: New Clues to Magnetic Field Effects in a Rice Planthopper. *PLoS ONE* 10(7): e0132966.

WARD J., SCHULTZ I., WOODRUFF D., ROESIJADI G., COPPING A. (2010). Assessing the Effects of Marine and Hydrokinetic Energy Development on Marine and Estuarine Resources. *Oceans* 2010.

WU C.L., FU T.F., CHIANG M.H., CHANG Y.W., HER J.L., WU T. (2016). Magnetoreception Regulates Male Courtship Activity in *Drosophila*. *PLoS One* 11 (5): e0155942.

WYSZKOWSKA J., SHEPHERD S., SHARKH S., JACKSON C.W., NEWLAND P.L. (2016). Exposure to extremely low frequency electromagnetic fields alters the behaviour, physiology and stress protein levels of desert locusts. *Sci Rep.* 2016 Nov 3;6:36413.

ZAHRADNIK T.D. (2012). PhD thesis: Exploitation of electromagnetic radiation as a foraging cue by conophagous insects. Simon Fraser University, Biological Sciences Department.

ZAIDI S., KHATOON S., IMRAN, ZOHAIR (2013). Effect of electromagnetic fields (created by high tension lines) on some indigenous species -VII. Mimosaceae, Molluginaceae, Nyctaginaceae and Papilionaceae. *Pak. J. Bot.*, 45(6): 1857-1864, 2013.



Developing a mechanism
for supporting better
decisions on our
environment
based on the best
available knowledge.

ZHANG Z.Y., ZHANG J., YANG C.J., LIAN H.Y., YU H., HUANG X.M., CAI P. (2016). Coupling Mechanism of Electromagnetic Field and Thermal Stress on *Drosophila melanogaster*. PLoS One 11 (9): e0162675.

ZMEJKOSKI D., PETKOVIĆ B., PAVKOVIĆ-LUČIĆ S., PROLIĆ Z., ANĐELKOVIĆ M., SAVIĆ T. (2016) Different responses of *Drosophila subobscura* isofemale lines to extremely low frequency magnetic field (50 Hz, 0.5 mT): fitness components and locomotor activity. International Journal of Radiation Biology 93(5):1-29 · December 2016.